

Bibliografia

Altun F., Haktanir T. Ari K. "Effects of steel fiber addition on mechanical properties of concrete and Rc beam". Construction and Buildings Materials 21 (2007) 654-661.

Bazant, Z.P. and Oh, B.H.)" Crack band theory for fracture of concrete". Materials and Structures (RILEM),1983; 16:155–177.

Bazant Z., P., "Concrete fracture models : testing and practice". Engineering Fracture Mechanics, 2002; 69:165-205.

Bazant Z. P., Planas J. "Fracture and Size Effect in Concrete and Other Quasi-Brittle Materials ". Editions CRC Press LLC,1998. United States of America.

Cervera M., Chiumenti M., " Smearred crack approach : back to the original track".International Journal for numerical and analytical methods in Geomechanics, 2006;30;1173-1199.

Consiglio Nazionale delle Ricerche."Istruzioni per la progettazione, l'Esecuzione ed il Controllori di Strutture di Calcestruzzo Fibrorinforzato". CNR-DT 204/2006, Roma 2 Marzo, 2006.

Crisfield M. A. " Non-linear Finite Element Analysis of Solids and Structures".Vol. 1-2 John Wiley & Sons, 2000. Inc New York, USA.

de Borst R., "Fracture in quasi-brittle materials : a review of continuum damage-based approaches". Engineering Fracture Mechanics, 2002 ; 69:95-112.

de Borst R., "Some recent developments in computational modelling of concrete fracture".International Journal of Fracture, 1997; 86:5-36.

de Borst R., Nauta P., "Non-orthogonal cracks in a smeared finite element model ". Engineering Computational,1985. vol.2 marzo.

Diotallevi P. P., Zarri F. " Calcestruzzi Leggeri Fibrorinforzati. Comportamento di elementi strutturali soggetti ad azioni ripetute". Congresso cte sulle tecnologie industrializzate nelle costruzioni, Marina di Ravenna 30-31 Ottobre- 1 Novembre 1986.

Eervenka J., Saouma V., Jendele L. "On the choice between discrete or smeared approach in practical structural FE analysis of concrete structures. " www.cervenka.cz

Eldeen Saif S. A., Taniguchi T. " Numerical study of strengthening concrete using short steel fibers". Kaplan M. F., "Crack propagation and the fracture of concrete". Journal of the American Concrete Institute, 1961 Novembre.

Elices M., Guinea G.V., Planas J., Gomez J.," The cohesive zone model : advantages, limitations and challenge"Engineering Fracture Mechanics, 2002; 69:137-163.

- Elices M., Guinea G. V., Planas J. "Measurement of the fracture energy using three-point bending tests : Part 3-Influence of cutting the P- δ tail". *Materials and Structures*,1992; 25 : 327-334.
[Cruz J. S., Barros J., Azevedo A. "Elasto-plastic multi-fixed smeared crack model". Report 04 DEC/E-05, 2004; pp. 1-70.
- Hillerborg A., Modeer M., Petersson P. E., " *Analysis of crack formation and crack growth in Concrete by means of fracture mechanics and finite elements*. *Cement and Concrete research*, 1976, vol.6 pp773-782. PergamonPress Inc.
- Kawamata A., Misashi H., Kaneko Y., Kirikoshi K., "Controlling Fracture toughness of matrix for ductile fiber reinforced cementitious composites". *Engineering Fracture Mechanics*, 2002 ;69 :249-265.
- Lai S., De Pascalis R. "Modello costitutivo di un calcestruzzo fibro-rinforzato con fibre d'acciaio". *Atti della Facoltà di Ingegneria dell'Università di Cagliari*, 1994.
- Yin W. S., Su E. C. M., Mansur A., Hsu T. C. "Biaxial Tests of Plain and Reinforced Concrete". *Aci Materials Journal*, 1989 ; vol.86 n°3 pp. 236-243.
- Maage M. "Interaction between steel fibers and cement based matrixes". *Materials and Structures* ; vol.10 , n°59pp297-301.
- Oh Hwan B. "Flexural Analysis of Reinforced Concrete Beams Containing Steel Fibers". *Journal of Structural Engineering*, 1992; vol.118, n°10, October.
- Prasad Raghu B. K., Bharatkumar B. H., Narayanan R., Gopalakrishnan S. "Fracture Mechanics model for analysis of plain and reinforced high-performance concrete beams". *Journal of Engineering Mechanics*. ASCE, 2005, agosto.
- Ramakrishnan V., Coyle W., V., Kulandaisamy V., Schrader K. "Performance of Fiber Reinforced Concretes with Low Fiber Contents". *Aci Journal* ,1981 n°78; 388-394.
- RILEM DRAFT RECOMMENDATION 50 FMC Committee Fracture Mechanics of Concrete." *Delamination of the fracture energy of mortar and concrete by means of three point bending test on notched beams*". *Materials and Structures* ,1985; vol 18 n°4 :285-290.
- RILEM TC 162-TDF : "Test and design methods for steel fibre reinforced concrete". *Materials and Structures*, 2000; vol.33: 3-5.
- Rossi P., Acker P., Malier Y. "Effect of steel fibres at two different stages: the material and the Structure". *Materials and Structures*, 1987,20: 436-439.
- Ruredil s.p.a., Plizzari G., Meda A., " *Studio sperimentale sul comportamento a frattura di calcestruzzi rinforzati on fibre ruredil*". *Brescia*, Marzo,2003.
- Shah P. S. "Do fibers Increase the Tensile Strength of Cement-Based Matrixes ?". *Aci Materials Journal*, 1991vol 88 n° 6 November-December , pp595-602.
- U73041440- *Elementi Strutturali di Calcestruzzo rinforzato con fibre d'acciaio, Progettazione esecuzione e controllo*. UNI 2003.
-

Bibliografia

UNI 11039-1 :2003. *Calcestruzzo rinforzato con fibre di acciaio-Definizioni, classificazione e Designazione*".

UNI 11039-2 :2003. *"Calcestruzzo rinforzato con fibre di acciaio. Metodo di prova per la determinazione della resistenza di prima fessurazione e degli indici di duttilità di provini di calcestruzzo rinforzato con fibre di acciaio"*.