

Bibliografia

- Adams, J.E. & Rhodes, M.L. (1960) Dolomitization by seepage reflux. *AAPG Bull.*, **44**, 1912-1921.
- Amodio Morelli, L., Bonardi, G., Colonna, V., Dietrich, D., Giunta, G., Ippolito, F., Liguori, V., Lorenzoni, S., Paglionico, A., Perrone, V., Piccarreta, G., Russo, M., Scandone, P., Zanetti-Lorenzoni, E. & Zuppetta, A. (1976) L'Arco Calabro-Peloritano nell'orogene appenninico-magrebide. *Mem. Soc. Geol. Ital.*, **17**, 1-60.
- Antonelli M., Franciosi R., Pezzi G., Querci A., Rongo G.P. & Mezzani F. (1992) Paleogeographic evolution and structural setting of the northern side of the Sicily Channel. *Mem. Soc. Geol. Ital.*, **41**, 141-157.
- Åkerman, K.K., Kuikka, J.T., Çiftçioglu, N., Parkkinen, J., Bergström, K.A., Kuronen, I. and Kajander, E.O. (1997) Radiolabeling and in vivo distribution of nanobacteria in rabbit. *Proceedings of SPIE, Int. Soc. Opt. Eng.*, **13**, 436-442.
- Arp G., Reimer A. & Reitner J. (2003) Microbialite formation in seawater of increased alkalinity, Satonda Crater Lake, Indonesia. *J. Sed. Res.*, **73**, 105-127.
- Balog, A., Read, F. and Haas, J. (1999) Climate-controlled early dolomite, late Triassic cyclic platform carbonates, Hungary. *J. Sed. Res.*, **69**, 267-282.
- Baltzer, F., Kenig, F., Boichard, R., Plaziat, J.C. and Purser, B.H. (1994) Organic matter distribution, water circulation and dolomitisation beneath the Abu Dhabi Sabkha (UAE). In: *Dolomites* (Eds B. Purser, M. Tucker and D. Zenger), *IAS Spec. Publ.*, **21**, 55-74.
- Berra, F. & Jadoul, F. (1996) Norian serpulid and microbial bioconstructions: implications for the platform evolution in the Lombardy Basin (Southern Alps, Italy). *Facies*, **35**, 143-162.
- Bertrand, P., Pittion, J.L. and Bernaud, C. (1986) Fluorescence of sedimentary organic matter in relation to its chemical composition. *Org. Geochem.*, **10**, 641-647.
- Bigi G., Cosentino D., Parotto M., Sartori R. & Scandone P. (1991) Structural Model of Italy, CNR, Italy.
- Bonardi G., Amore F.O., Ciampo G., De Capoa P., Miconnet P. & Perrone V. (1988) Il Complesso Liguride Auctt.: stato delle conoscenze e problemi aperti sulla sua evoluzione preappenninica ed i suoi rapporti con l'Arco Calabro. *Mem. Soc. Geol. Ital.* **41**, 17-35.
- Boni M., Torre M. & Zamparelli V. (1990) Il Trias medio-superiore dell'Unità di San Donato nell'area di Castrovillari. *Mem. Soc. Geol. It.*, **13**, 89-92.
- Boni M., Iannace A., Torre M. & Zamparelli V. (1994) The Ladinian-Carnian Reef Facies of Monte Caramolo (Calabria, Southern Italy). *Facies*, **30**, 185-196.
- Bosellini A. (1973) Modello geodinamico e paleotettonico delle Alpi Meridionali durante il Giurassico-Cretacico: sue possibili implicazioni agli Appennini. Quaderno 183. *Accad. Naz. Lincei*, **183**, 163-205.
- Bosellini A. (1989) Dynamics of Tethyan carbonate platforms. In: *Controls on Carbonate Platform and Basin Development* (Eds Crevello P.D., Wilson J. & Sarg J.F.), *SEPM spec. publ.*, **44**, 3-13.
- Bosellini A. (2004) The Western passive margin of Adria and its carbonate platforms. *Spec. Vol. It. Geol. Soc.*, IGC 32 Florence-2004, 79-92.
- Bosellini A. & Hsü K.J. (1973) Mediterranean plate tectonics and Triassic paleogeography. *Nature*, **224**, 144-146.
- Bousquet J.-C. (1971) La tectonique tangentielle des séries calcairesdolomitiques du Nord-Est de l'Apennin Calabro-Lucanien (Italie Meridionale). *Geol. Romana*, **X**, 23-51.
- Bousquet J.-C. & Grandjacquet C. (1969) Structure de l'Apennin calabro-lucanien (Italie méridionale). *C. R. Acad. Sci. Paris*, **264**, 204-207.
- Bousquet J.C., Mégard Galli J. & Zorn J.H. (1978) Quelques éléments de datation du Trias moyen et de l'Apennin Calabro-Lucanien. *Geol. Rom.* **17**, 71-83.
- Braga J.C., Martin J.M. & Riding R. (1995) Controls on microbial dome fabric development along a carbonate-siliciclastic shelf-basin transect, Miocene, S.E. Spain. *Palaios*, **10**, 347-361.
- Buczynski C. & Chafetz H.S. (1991) Habit of bacterially induced precipitates of calcium carbonate and the influence of medium viscosity on mineralogy. *J. Sedim. Petrol.*, **61**, 226-233.
- Burne R. V. & Moore L. S. (1987) Microbialites: organosedimentary deposits of benthic Microbial communities. *Palaios*, **2**, 241-254.

- Burns S.J., McKenzie J.A. & Vasconcelos C.** (2000) Dolomite formation and biogeochemical cycles in the Phanerozoic. *Sedimentology*, **47**, 49-61.
- Burton A.N.** (1971) Carta Geologica della Calabria 1:25.000. *Rel. Gen., Cassa per il Mezzogiorno, Serv. Bonif.*, **120**.
- Butler, G.P.** (1969) Modern evaporative deposition and geochemistry of coexisting brines, the sabkha, Trucial Coast, Arabian Gulf. *J. Sed. Petrol.*, **39**, 70-89.
- Button, D.K., Schut, F., Quang, P., Martin, R. and Robertson, B.R.** (1993) Viability and isolation of marine bacteria by dilution culture: Theory, procedures, and initial results. *Appl. Environ. Microbiol.*, **59**, 881-891.
- Camoin, G.F., Gautret, P., Montaggioni, L.F. and Cabioch, G.** (1999) Nature and environmental significance of microbialites in Quaternary reefs: the Tahiti paradox. *Sed. Geol.*, **126**, 271-304.
- Casanova, J., Bodéan, F., Négrel, P. and Azaroual, M.** (1999) Microbial control on the precipitation of modern ferrihydrite and carbonate deposits from the Cézallier hydrothermal springs (Massif Central, France). *Sed. Geol.*, **126**, 125-145.
- Canfield D.E. & Raiswell R.** (1991) Carbonate precipitation and dissolution: its relevance to fossil preservation. In: *Taphonomy: Releasing the Data Locked in the Fossil Record* (Eds Allison P.A. & Briggs D.E.G.), 411-453. Plenum, New York.
- Carulli G.B., Salvador G.L., Ponton M. & Podda F.** (1997) La Dolomia di Forni: evoluzione di un bacino euxinico tardo-triassico nelle prealpi carniche. *Boll. Soc. geol. It.*, **116**, 95-107.
- Carulli G.B., Fantoni R., Masetti D., Ponton M., Trincianti E., Trombetta G.L. & Venturini S.** (1998) Analisi di facies e proposta di revisione stratigrafica del Triassico superiore del Sudalpino orientale. *Atti Tic. Sci. Terra, Ser. Spec.*, **7**, 159-183.
- Castanier S., Le Métayer-Levrel G. & Perthuisot J.-P.** (2000) Bacterial roles in the precipitation of carbonate minerals. In: *Microbial Sediments* (Eds Riding R. & Awramik S.M.), 32-39. Springer-Verlag, Heidelberg.
- Catalano R., Di Stefano P., Sulli A. & Vitale F.P.** (1996) Paleogeography and structure of the central Mediterranean: Sicily and its offshore area. *Tectonophysics*, **260**, 291-323.
- Chafetz H.S. & Folk R.L.** (1984) Travertines; depositional morphology and the bacterially constructed constituents. *J. Sedim. Petrol.*, **54**, 289-316.
- Chafetz H.S. & Buczynski C.** (1992) Bacterially induced lithification of microbial mats. *Palaios*, **7**, 277-293.
- Christensen B.E. & Characklis W.G.** (1990) Physical and chemical properties of biofilms. In: *Biofilms* (Eds Characklis W. G. & Marshall K. C.), 93-130. John Wiley & Sons, New York.
- Ciarapica G.** (1990) Central and Northern Apennines during the Triassic: a review. *Boll. Soc. Geol. It.*, **109**, 39-50.
- Çiftçioglu N. & Kajander E.O.** (1998) Interaction of nanobacteria with cultured mammalian cells. *Pathophysiology*, **4**, 259-270.
- Cirilli S., Bucefalo R. & Pontini R.** (1993) Palynostratigraphy and palynofacies of the late Triassic *R. contorta* facies in the Northern Apennines: (I) The La Spezia Formation. *Rev. Paléobiogr.*, **12**, 179-192.
- Cirilli S., Bucefalo R. & Pontini R.** (1994) – Palynostratigraphy and palynofacies of the late Triassic *R. contorta* facies in the Northern Apennines: (II) The Monte Cetona Formation. *Rev. Paléobiogr.*, **13**, 319-339.
- Cirilli S.** (1995) Upper Triassic black shales in the western Tethys and their palaeoclimatological meaning. In: *Black Shales Models* (ed. Osmann W.), 3rd EPA Workshop, European, **8**, 63.
- Cirilli S., Iannace A., Jadoul F. & Zamparelli, V.** (1999) Microbial-serpulid buildups in the Norian-Rhaetian of the Western Mediterranean area: ecological response of shelf margin communities to stressed environments. *Terra Nova*, **11/5**, 195-202.
- Cisar, J.O., Xu, D.Q., Thompson, J., Swaim, W., Hu, L. and Kopecko, D.J.** (2000) An alternative interpretation of nanobacteria-induced biomineralization. *Proc. Natl. Acad. Sci. USA*, **97**, 11511-11515.
- Climaco A., Boni M., Iannace A. & Zamparelli V.** (1997) Platform margins, microbial/serpulids bioconstructions and slope-to-basin sediments in the Upper Triassic of the “Verbicaro Unit” (Lucania and Calabria, Southern Italy). *Facies*, **36**, 37-56.
- Cohen, Y., Castenholz, R.W. and Halvorson, H.O.** (Eds) (1984) *Microbial Mats: Stromatolites*. Alan Liss, 498 pp., New York.

- Compagnoni B. & Damiani A.V.** (1971) Note illustrative della Carta Geologica d'Italia. Foglio 220 Verbicaro, *Servizio Geologico d'Italia*.
- Cortese E.** (1895) Descrizione geologica della Calabria. *Mem. Descr. Carta Geol. Ital.* IX.
- Cuif, J.P., Gautret, P., Laghi, G.F., Mastandrea, A., Pradier, B. and Russo, F.** (1990) Recherche sur la fluorescence UV du squelette aspicaire chez les demosponges calcitiques triassiques. *Geobios*, **23**, 21-31.
- Damiani, A.V.** (1970) Osservazioni geologiche in alcune tavolette del F° 220 della Calabria nord-occidentale. Parte I: Stratigrafia. *Boll. Soc. Geol. Ital.*, **89**, 65-80.
- D'Argenio B.** (1974) Le piattaforme carbonatiche periadriatiche: una rassegna di problemi nel quadro geodinamico mesozoico dell'area mediterranea. *Mem. Soc. Geol. It.*, **13/2**, 137-159.
- D'Argenio B., Pescatore T. & Scandone P.** (1973) Schema geologico dell'Appennino meridionale (Campania-Lucania). *Atti Acc. Lincei, Quaderno*, **183**, 49-72.
- Decho A.W.** (1990) Microbial exopolymer secretions in ocean environments: their roles in food webs and marine processes. *Oceanogr. Mar. Biol. Ann. Rev.*, **28**, 73-153.
- Défarge C., Trichet J., Maurin A. & Hucher M.** (1994) Kopara in Polynesian atolls; early stages of formation of calcareous stromatolites. *Sediment. Geol.*, **89**, 9-23.
- Défarge, C., Trichet, J., Jaunet, A.M., Michel, R., Tribble, J. and Sansone, F.J.** (1996) Texture of microbial sediments revealed by cryo-scanning electron microscopy. *J. Sed. Res.*, **66**, 935-947.
- Dercourt J., Zonenshain L.P., Ricou L.E., Kazmin V.G., Le Pichon X., Knipper A.L., Grandjacquet C., Sbertshikov I.M., Geyssant J., Lepvrier C., Pechersky D.H., Boullin J., Sibuet J.C., Savostin L., Sorokhtin O., Westphal M., Bazhenov M.L., Lauer J.P. & Biju-Duval B.** (1986) Geological evolution of the Tethys belt from the Atlantic to the Pamirs since the Lias. *Tectonophysics*, **123**, 241-315.
- Dercourt J., Ricou L.E. & Vrielynck B.** (1993) Atlas Tethys Palaeoenvironmental Maps. Gauthier-Villars, Paris, 307 pp.
- Dewey J. F., Pitman W.C., Ryan W.B.F. & Bonin J.** (1973) Plate tectonics and the evolution of the Alpine system. *Bull. Soc. Geol. Amer.*, **84**, 3137-3180.
- Di Stefano G.** (1904) Osservazioni geologiche nella Calabria settentrionale e nel circondario di Rossano. *Mem. Descr. Carta Geol. d'Italia*, **9**, 1-119.
- Dupraz C. & Strasser A.** (1999) Microbialites and micro-encrusters in shallow coral bioherms (Middle to Late Oxfordian, Swiss Jura Mountains). *Facies*, **40**, 101-130.
- Dupraz C., Visscher P.T., Baumgartner L.K. & Reid R.P.** (2004) Microbe-mineral interactions: early carbonate precipitation in a hypersaline lake (Eleuthera Island, Bahamas). *Sedimentology*, **51**, 745-765.
- Dravis, J.J. and Yurewicz, D.A.** (1985) Enhanced carbonate petrography using fluorescence microscopy. *J. Sed. Petrol.*, **55**, 795-804.
- Fagerstrom J.A.** (1987) The evolution of reef communities. Wiley J. & so., New York, 589pp.
- Feldmann, M.** (1997) Stromatolitic laminae formation and carbonate precipitation associated with microbial mats from modern Bahamian environments. In: *Biosedimentology of microbial buildups - IGCP Project No. 380 - Proceedings of 2nd Meeting, Göttingen/Germany, 1996* (Eds F. Neuweiler, J. Reitner and C. Monty), *Facies*, **36**, 195-284.
- Feldmann, M. & McKenzie, J.A.** (1998) Stromatolite-Thrombolite association in a modern environment, Lee Stocking Island, Bahamas. *Palaios*, **13**, 201-212.
- Fenchel T. & Finlay B.J.** (1995) Ecology and Evolution in Anoxic Worlds. *Oxford Series in Ecology and Evolution*. Oxford University Press. Oxford.
- Flügel E.** (1981) Paleocology and facies of Upper Triassic reefs in the Northern Calcareous Alps. In: *European fossil reef models* (ed. Toomey D.F.), *SEPM Spec. Publ.*, **30**, 291-359.
- Flügel E.** (1982) Microfacies Analysis of Limestones. Springer-Verlag. Berlin
- Flügel E.** (2002) Triassic reef patterns. *SEPM Spec. Publ.*, **72**, 391-463, Tulsa.
- Flügel E., Flügel-Kahler, E., Martin, J.M. and Martin-Algarra, A.** (1984) Middle Triassic reefs from southern Spain. *Facies*, **11**, 173-218.
- Flügel E. & Senowbari-Daryan B.** (1996) Evolution of Triassic Reef Biota: State of Art. In: *Global and Regional Controls on Biogenic Sedimentation* (Eds. Reitner J., Neuweiler F. & Gunkel V.), *Reef Evolution, Research Reports*.
- Folk, R.L.** (1993) SEM imaging of bacteria and nannobacteria in carbonate sediments and rocks. *J. Sed. Petrol.*, **63**, 990-999.

- Folk, R.L.** (1999) Nannobacteria and the precipitation of carbonate in unusual environments. *Sed. Geol.*, **126**, 47-55.
- Folk, R.L.** (2004) Mineral alteration by nannobacteria on Earth compared with Mars. *23rd IAS Meeting of Sedimentology, Abstract Book*, Coimbra-Portugal.
- Folk, R.L. and Lynch, F.L.** (1997) The possible role of nannobacteria (dwarf bacteria) in clay mineral diagenesis and the importance of careful sample preparation in high magnification SEM study. *J. Sed. Res.*, **67**, 583-589.
- Frisia, S.** (1994) Mechanisms of complete dolomitization in a carbonate shelf: comparison between the Norian Dolomia Principale (Italy) and the Holocene of Abu Dhabi Sabkha. In: *Dolomites* (Eds B. Purser, M. Tucker and D. Zenger), *IAS Spec. Publ.*, **21**, 55-74.
- García del Cura, M.A., Calvo, J.P., Ordóñez, S., Jones, B.F. and Cañaveras, J.C.** (2001) Petrographic and geochemical evidence for the formation of primary, bacterially induced lacustrine dolomite: La Roda "white earth" (Pliocene, central Spain). *Sedimentology*, **48**, 897-915.
- Gianolla P., De Zanche V. & Ronchi G.** (2003) An Upper Tuvanian (Triassic) Platform-Basin system in the Julian Alps: the start-up of the Dolomia Principale (Southern Alps, Italy). *Facies*, **49**, 135-150.
- Ginsburg R.N.** (1991) Controversies about stromatolites: vices and virtues. In: *Controversies in Modern Geology; Evolution of Geological Theories in Sedimentology, Earth History and Tectonics* (Eds Müller D.W., McKenzie J.A. & Weissert H.), 25-36. Academic Press, London.
- Grandjacquet C.** (1962) Données nouvelles sur la tectonique tertiaire des massifs calabro-lucaniens. *Bull. Soc. Geol. France*, 7 ser., **4**, 695-706.
- Grandjacquet C.** (1963) Note illustrative del Foglio 220 "Verbicaro" della Carta Geologica della Calabria in scala 1:25.000.
- Grandjacquet, C. & Grandjacquet, M.J.** (1962) Geologie de la zone Diamante – Verbicaro (Calabre). *Geol. Romana*, **1**, 297-312.
- Guo L. & Riding R.** (1994) Origin and diagenesis of Quaternary travertine shrub fabrics, Rapolano Terme, central Italy. *Sedimentology*, **41**, 499-520.
- Haas, J. & Demény, A.** (2002) Early dolomitisation of Late Triassic platform carbonates in the Transdanubian Range (Hungary). *Sed. Geol.*, **151**, 225-242.
- Hardie, L.A.** (1987) Dolomitization: a critical view of some current views. *J. Sed. Petrol.*, **57**, 166-183.
- Hjelle, J.T., Miller-Hjelle, M.A., Poxton, I.R., Kajander, O., Çiftçioglu, N., Jones, M.L., Caughey, R.C., Brown, R., Millikin, P.D. and Darras, F.S.** (2000) Endotoxin and nanobacteria in polycystic kidney disease. *Kidney Int.*, **57**, 2360-2374.
- Hottinger L.** (1997) Shallow benthic foraminiferal assemblages as signals for depth of their deposition and their limitations. *Boll. Soc. Geol. Fr.*, **168**, 491-505.
- Iannace A.** (1993) Caratteri diagenetici dei carbonati di piattaforma del Trias superiore nell'Appennino meridionale e loro implicazioni paleogeografiche. *Riv. It. Paleont. Strat.*, **99**, 57-80.
- Iannace, A. & Frisia, S.** (1994) Changing dolomitization styles from Norian to Rhaetian in the southern Tethys realm. In: *Dolomites* (Eds B. Purser, M. Tucker and D. Zenger), *IAS Spec. Publ.*, **21**, 75-89.
- Iannace A., Boni M., Climaco A. & Zamparelli V.** (1994) The platform to basin transition in the Upper Triassic of "Verbicaro Unit" (Calabria, Italy). *Comptes Rendus de l'Academie des Sciences de Paris*, **318**, 397-204.
- Iannace A., Boni M. & Zamparelli V.** (1995) The Middle-Upper Triassic of the San Donato Unit Auct. (Northern Calabria): stratigraphy, palaeogeography and tectonic implications. *Riv. Ital. Paleontol. Stratigr.*, **101** 301-324.
- Iannace A. & Zamparelli V.** (2002) Upper Triassic platform margin biofacies and the paleogeography of Southern Apennines. *Palaeogeogr., Palaeoclim., Palaeoecol.*, **179**, 1-18.
- Iannace A., D'Errico M. & Vitale S.** (2004) Carta Geologica 1:100 000 della Calabria Settentrionale. *Studi Geol. Camerti*, nuova serie 2.
- Iannace A. & Vitale S.** (2004) Ductile shear zone on carbonates: the *calcaires plaquettés* of northern Calabria (Italy), *C. R. Geoscience*, **336**, 227-234.
- Iannace A., Bonardi G., D'Errico M., Mazzoli S., Perrone V. & Vitale S.** (2005) Structural setting

- and tectonic evolution of the Apennine Units of northern Calabria. *C.R. Geoscience*, **337**, 1541-1550.
- Ietto, A., Barilaro, A.M., Calligaro, G. and Mancuso, C.** (1992) Elementi per una revisione dei rapporti Arco Calabro-Appennino. *Boll. Soc. Geol. Ital.*, **111**, 193-215.
- Ietto A., Barilaro A.M., Calligaro G. & Mancuso C.** (1992) Elementi per una revisione dei rapporti Appennino-Arco Calabro. *Boll. Soc. Geol. It.*, **111**, 193-215.
- Ietto F. & Romano R.** (2001) Middle Triassic age and lithostratigraphy of the Diplopora marbles from the San Donato Unit Auct. (Catena Costiera, Calabria, Italy). *Boll. Soc. Paleontol. Ital.*, **40**, 17-24.
- Jadoul F., Berra F. & Frisia S.** (1992) Stratigraphic and paleogeographic evolution of a carbonate platform in an extensional tectonic regime: the example of the Dolomia Principale in Lombardy (Italy). *Riv. It. Paleont. Strat.*, **98**, 29-44.
- Kalkowsky E.** (1908) Oolith und Stromatolith im norddeutschen Buntsandstein. *Z. Deutsch. Geol. Gesellschaft*, **60**, 68-125.
- Kennard, J.M.** (1981) The Arrintheta Formation: Upper Cambrian epeiric carbonates in the Georgina Basin, central Australia. *Bur. Mineral. Resour. J. Aust. Geol. Geophys.*, **211**, 61 pp.
- Kirkland, B.L., Lynch, F.L., Rahnis, M.A., Folk, R.L., Molineux, I.J. and McLean, R.J.C.** (1999) Alternative origins for nannobacteria-like objects in calcite. *Geology*, **27**, 347-350.
- Konhauser K.** (2006) Introduction to Geomicrobiology. *Blackwell Publ.*, 425 pp.
- von Knorre H. & Krumbein W.E.** (2000) Bacterial calcification. In: *Microbial Sediments* (Eds Riding R. & Awramik S. M.), 25-31. Springer-Verlag, Heidelberg
- Krumbein, W.E.** (1983) Stromatolites - the challenge of a term in space and time. *Precambrian Res.*, **20**, 493-531.
- Laubscher H. & Bernoulli D.M.** (1977) Mediterranean and Tethys. In: *The Oceans Basins and Margins* (Eds A.E.M. Nairn, W.H. Kanes & F.G. Stenli), *Plenum press.*, New York-London, **4/a**, 1-28.
- van Lith, Y., Warthmann, R., Vasconcelos, C. and McKenzie, J.A.** (2003a) Sulphate-reducing bacteria induce low-temperature Ca-dolomite and high Mg-calcite formation. *Geobiology*, **1**, 71-79.
- van Lith, Y., Warthmann, R., Vasconcelos, C. and McKenzie, J.A.** (2003b) Microbial fossilization in carbonate sediments: a result of the bacterial surface involvement in dolomite precipitation. *Sedimentology*, **50**, 237-245.
- Loisy C., Verrecchia E.P. & Dufour P.** (1999) Microbial origin for pedogenic micrite associated with a carbonate paleosol (Champagne, France). *Sed. Geol.*, **126**, 193-204.
- Machel, H.G., Mason, R.A., Mariano, A.N. and Mucci, A.** (1991) Causes and emission of luminescence in calcite and dolomite. In: *Luminescence microscopy and spectroscopy: qualitative and quantitative applications* (Eds C.E. Barker and O.C. Kopp), *SEPM Short Course 25*, 9-25, Tulsa.
- Macintyre I.G.** (1985) Submarine cements – the peloidal question. In: *Carbonate Cements* (Eds Schneidermann N. & Harris P. M.), *SEPM Spec. Publishers*, **36**, 109-116.
- Maniloff, J.** (1997) Nannobacteria: Size limits and evidence. *Science*, **276**, 1776.
- Maniscalco, B.S. and Taylor, K.A.** (2004) Calcification in coronary artery disease can be reversed by EDTA-tetracycline long-term chemotherapy. *Pathophysiology*, **11**, 95-101.
- Marcoux, J., Baud, A., Ricoux, L., Gaetani, M., Krystyn, L., Bellion, Y., Guiraud, R., Besse, J., Gallet, Y., Jaillard, E., Moreau, C. and Theveniaut, H.** (1993) Late Norian (215 to 212 Ma). In: *Atlas Tethys Palaeoenvironmental Maps* (Eds J.Dercourt, L.E. Ricou and B. Vrielynck), Explanatory Notes, 35-53, Gauthier-Villars, Paris.
- Mastandrea, A, Perri, E., Neri, C. & Russo, F.** (2003) Conodont Biostratigraphy of the Norian-Rhaetian deposits in the Northern Calabria: the Valle Corvino and Grisolia sections. *Boll. Soc. Paleont. Ital.*, **42**, 173-182.
- Martin, W.H., Lünsdorf, H., Wu, Q., Schauer, M., Höfle, M.G., Boenigk, J. and Stadler, P.** (2003) Isolation of novel ultramicrobacteria classified as actinobacteria from five freshwater habitats in Europe and Asia. *Appl. Environ. Microbiol.*, **69**, 1442-1451.
- McKay, D.S., Gibson, E.K., Thomas-Keppta, K.L., Vali, H., Romanek, C.S., Clemett, S.J., Chillier, X.D.F., Maechling, C.R. and Zare, R.N.** (1996) Search for past life on Mars: Possible relic biogenic activity in Martian meteorite ALH84001. *Science*, **273**, 924-926.

- McKee E.D. & Gutschick R.C.** (1969) History of Redwall Limestone of northern Arizona. *Geol. Soc. Am. Mem.*, 114.
- McKenzie, J.A.** (1981) Holocene dolomitization of calcium carbonate sediments from the coastal sabkhas of Abu Dhabi, UAE. A stable isotope study. *J. Geol.*, **89**, 185-198.
- Melim, L.A. & Scholle, P.A.** (2002) Dolomitization of the Capitan Formation forereef facies (Permian, west Texas and New Mexico): seepage reflux revisited. *Sedimentology*, **49**, 1207-1227.
- Moreira, N.F., Walter, L.M., Vasconcelos, C., McKenzie, J.A. and McCall, P.J.** (2004) Role of sulfide oxidation in dolomitization: Sediment and pore-water geochemistry of a modern hypersaline lagoon system. *Geology*, **32**, 701-704.
- Müller-Wille, S. and Reitner, J.** (1993) Palaeobiological reconstructions of selected sphinctozoan sponges from the Cassian Beds (Lower Carnian) of the Dolomites (Northern Italy). *Berl. Geowiss. Abh.*, (E)**9**, 253-281.
- Merz M.U.E.** (1992) The biology of carbonate precipitation by cyanobacteria. *Facies*, **26**, 81-102
- Merz-Preiß M. & Riding R.** (1999) Cyanobacterial tufa calcification in freshwater streams: ambient environment, chemical thresholds and biological processes. *Sediment. Geol.*, **126**, 103-124.
- Messina A., Compagnoni R., De Vito B., Perrone V., Russo S., Barbieri M. & Scott B.A.** (1991) Geological and petrochemical study of the Sila Massif plutonic rocks (northern Calabria, Italy). *Boll. Soc. Geol. It.*, **110**, 165-206.
- Monty C.L.V.** (1981) Spongiostromate vs. porostromate stromatolites and oncolites. In: *Phanerozoic Stromatolites* (ed. C. Monty), 1-4. Springer-Verlag, Berlin
- Monty C.L.V., Bosence D.W.J., Bridges P.H. & Pratt B.R.**, eds (1995). Carbonate Mud-Mounds, Their Origin and Evolution. *Spec. Publishers Int. Assoc. Sedim.*, **23**.
- Nealson, K.H.** (1997) Nannobacteria: Size limits and evidence. *Science*, **276**, 1776.
- Neuweiler F., Reitner J. & Monty C.** (eds) (1997) Biosedimentology of microbial buildups - IGCP Project No. 380 – Proc. of 2nd Meeting, Göttingen/Germany, 1996. *Facies*, **36**, 195-284.
- Neuweiler F., Gautret P., Thiel V., Lange R., Michaelis W. & Reitner J.** (1999) Petrology of Lower Cretaceous carbonate mud mounds (Albian, N. Spain): insights into organomineralic deposits of the geological record. *Sedimentology*, **46**, 837-859
- Ogniben L.** (1969) Schema introduttivo della geologia del confine calabro-lucano. *Soc. Geol. Ital. Mem.*, **4**, 453-763.
- Patacca E., Scandone P., Giunta G. & Liguori V.** (1979) Mesozoic paleotectonic evolution of the Ragusa zone (Southeastern Sicily). *Geol. Romana*, **18**, 331-369.
- Pentecost A.** (1985) Association of cyanobacteria with tufa deposits: identity, enumeration and nature of the sheath material revealed by histochemistry. *Geomicrobiol. J.*, **4**, 285-298.
- Perri, E., Mastandrea, A., Neri, C. and Russo, F.** (2003) A micrite-dominated Norian carbonate platform from Northern Calabria (Southern Italy). *Facies*, **49**, 101-118.
- Pomar L.** (2001) Types of carbonate platforms: a genetic approach. *Basin Research*, **13**, 313-334.
- Posenato R. & Ietto A.** (1995) Late Triassic Megalodontidae from Northern Calabria (Italy). *Riv. It. Paleont. Strat.*, **101** (3), 325-340.
- Pratt B.R.** (1995) The origin, biota and evolution of deep-water mud-mounds. In: *Carbonate Mud-Mounds, Their Origin and Evolution* (eds Monty C. L. V., Bosence D. W. J., Bridges P. H. & Pratt B. R.), *Spec. Publishers Int. Assoc. Sedim.*, **23**, 49-123.
- Quitow H.W.** (1935) Diabas-Porphyrite und Glaukophagesteinrn in der Trias von Nordkalabrien. *Nachr. Ges. Wiss. Göttingen, Math. Phys. Kl., Fachgr. IV, N.S.*, **1(9)**, 83-118.
- Ramseyer, K., Miano, T.M., d'Orazio, V., Wildberger, A., Wagner, T. and Geister, J.** (1997) Nature and origin of organic matter in carbonates from speleothems, marine cements and coral skeleton. *Org. Geochem.*, **26**, 361-378.
- Rao, V.P., Kessarkar, P.M., Krumbein, W.E., Krajewski, K.P. and Schneider, R.J.** (2003) Microbial dolomite crusts from the carbonate platform off western India. *Sedimentology*, **50**, 819-830.
- Rasmussen K.A., Macintyre I.G. & Prufert L.** (1993) Modern stromatolite reefs fringing a brackish coastline, Chetumal Bay, Belize. *Geology*, **21**, 199-202
- Reitner, J. & Neuweiler, F.** (coord.) (1995) Mud mounds: a polygenic spectrum of fine-grained carbonate buildups. *Facies*, **32**, 1-70.

- Riding R.** (1991) Classification of microbial carbonates. In: *Calcareous algae and stromatolites* (ed. Riding R.), 21-51 pp.
- Riding R.** (2000) Microbial carbonates: The geological record of calcified bacterial-algal mats and biofilms. *Sedimentology*, **47**, 179-214.
- Rossetti F., Goffé B., Monié P., Faccenna C. & Vignaroli G.** (2004) Alpine orogenic *PTt* deformation history of the Catena Costiera area and surrounding regions (Calabrian Arc, southern Italy): the nappe edifice of Northern Calabria revised with insights on the Tyrrhenian–Apennine system formation. *Tectonics*, **23** (1), TC 6011.
- Russo, F., Neri, C., Mastandrea, A. and Baracca, A.** (1997) The mud-mound nature of the Cassian platform margins of the Dolomites. A case history: the Cipit Boulders from Punta Grohmann (Sasso Piatto Massif, Northern Italy). *Facies*, **36**, 25-36.
- Russo, F., Mastandrea, A. and Neri, C.** (1998) Evoluzione degli organismi costruttori nelle piattaforme triassiche delle Dolomiti (Italia). *Mem. Soc. Geol. Ital.*, **53**, 479-488.
- Russo, F., Mastandrea, A., Stefani, M. and Neri, C.** (2000) Carbonate facies dominated by syndepositional cements: a key component of Middle Triassic platforms. The Marmolada case history (Dolomites, Italy). *Facies*, **42**, 211-226.
- Scandone P.** (1972) Studi di geologia lucana: Carta dei terreni della serie calcareo-silico-marnosa e note illustrative. *Boll. Soc. Natur.*, **81**, 225 -300.
- Schidlowsky M.** (2000) Carbon Isotopes and Microbial Sediments. In: *Microbial Sediments* (Eds. Riding R. & Awramik S.M.). *Springer-Verlag*, Berlin, 84-95.
- Schieber, J. and Arnott, H.J.** (2003) Nannobacteria as a by-product of enzyme-driven tissue decay. *Geology*, **31**, 717-720.
- Schopf J. W., Oehler D.Z., Horodyski R.J. & Kvenvolden K.A.** (1971) Biogenicity and significance of the oldest known stromatolites. *J. Paleont.*, **45**(3), 477-485
- Senowbary-Daryan B. & Zamparelli V.** (2005) Triassic Halimedaceans: new genera and species from the Alps, Sicily and southern Apennines. *Rev. Espan. Micropal.*, **37**(1), 141-169.
- Servizio Geologico d'Italia** (1970) Carta Geologica d'Italia alla scala 1:100.000. F. 220 – Verbicaro. Roma
- Servizio Geologico d'Italia** (1971) Carta Geologica d'Italia alla scala 1:100.000. F. 221 – Castrovillari. Roma
- Shinn, E.A., Ginsburg, R.N. and Lloyd, R.M.** (1965) Recent supratidal dolomite from Andros Island, Bahamas. In: *Dolomitization and Limestone Diagenesis* (Eds L.C. Pray and R.C. Murray), *SEPM Spec. Publ.*, **13**, 112-123.
- Sibley, D.F. & Gregg, J.M.** (1987) Classification of dolomite rock textures. *J. Sed. Petrol.*, **57**, 967-975.
- Scoffin T.P.** (1970) The trapping and binding of subtidal carbonate sediments by marine vegetation in Bimini Lagoon, Bahamas. *J. Sedim. Petrol.*, **40**, 249-273
- Slaughter, M. & Hill, R.J.** (1991) The influence of organic matter in organogenic dolomitization. *J. Sed. Petrol.*, **61**, 296-303.
- Sommer, A.P., Pretorius, A.M., Kajander, E.O. and Oron, U.** (2004) Biomineralization induced by stressed nanobacteria. *Cryst. Growth Des.*, **4**, 45-46.
- Southam, G. and Donald, R.** (1999) A structural comparison of bacterial microfossils vs. “nanobacteria” and nanofossils. *Earth-Sci. Rev.*, **48**, 251-264.
- Stampfli G.M. & Marchant R.H.** (1997) Geodynamic evolution of the Tethyan margins of the western Alps. In: *Deep structure of the swiss Alps* (Eds O.A. Pfiffner, P. Lehner, P.Z. Heitzman & A. Steck) Result from NRP 20, Birkhauser A.G., Basel, 223-239.
- Stampfli G.M., Borel G., Cavazza W., Mosar J. & Ziegler P.A.** (2001) The Paleotectonic Atlas of the PeriTethyan Domain. Project N°369 (“*Comparative Evolution of PeriTethyan Rift/Wrench Basins*”) of the IGCP.
- Stolz, J.F., Feinstein, T.N., Salsi, J., Visscher, P.T. and Reid, R.P.** (2001) TEM analysis of microbial mediated sedimentation and lithification in modern marine stromatolites. *Am. Mineral.*, **86**, 826-833.
- Srivastava N.K.** (1999) Lagoa Salgada (Rio de Janeiro) - Recent stromatolites. In: *Sítios Geológicos e Paleontológicos do Brasil* (Eds Schobbenhaus C., Campos D.A., Queiroz E.T., Winge M. & Berbert-Born M.)
- Thompson J.B. & Ferris F.G.** (1990) Cyanobacterial precipitation of gypsum, calcite, and magnesite

- from natural alkaline lake water. *Geology*, **18**, 995-998.
- Torrella, F. and Morita, R.Y.** (1981) Microcultural study of bacterial size changes and microcolony and ultramicrocolony formation by heterotrophic bacteria in seawater. *Appl. Environ. Microbiol.*, **49**, 518-527.
- Trichet J. & Défarge C.** (1995) Non-biologically supported organomineralization. *Bull. Inst. Océanogr. Monaco, Num. Spéc.*, **14**, 203-236.
- Trichet J., Défarge C., Tribble J., Tribble G. & Sansone F.** (2001) Christmas Islands lagoonal lakes, models for the deposition of carbonate-evaporite-organic laminated sediments. *Sed. Geol.*, **140**, 177-189.
- Uwins, P.J.R., Webb, R.I. and Taylor, A.P.** (1998) Novel nano-organism from Australian sandstones. *Am. Mineral.*, **83**, 1541-1550.
- Vandenbroucke, M., Pelet, R. and Debyser, Y.** (1985) Geochemistry of humic substances in marine sediments. In: *Humic substances in soil, sediment, and water* (Eds G.R. Aiken, D.M. McKnight, R.L. Wershaw, and P. MacCarthy), 249-273, Wiley, New York.
- Van Dijk J.P., Bello M., Brancaloni G.P., Cantarella G., Costa V., Frixia A., Golfetto F., Merlini S., Riva M., Torricelli S., Toscano C. & Zerilli A.** (2000) A regional structural model for the northern sector of the Calabrian Arc (southern Italy). *Tectonophysics*, **324**, 267-320.
- Vasconcelos, C. and McKenzie, J.A.** (1997) Microbial mediation of modern dolomite precipitation and diagenesis under anoxic conditions (Lagoa Vermelha, Rio de Janeiro, Brazil). *J. Sed. Res.*, **67**, 378-390.
- Vasconcelos, C., McKenzie, J.A., Bernasconi, S., Grujic, D. and Tien, A.J.** (1995) Microbial mediation as a possible mechanism for dolomite formation. *Nature*, **377**, 220-222.
- Vasconcelos C., Warthmann R., McKenzie J. A., Visscher P.T., Bittermann A.G. & van Lith Y.** (2006) Lithifying microbial mats in Lagoa Vermelha, Brazil: Modern Precambrian relics? *Sed. Geol.*, **185**, 175-183.
- Veizer, J., Bruckschen, P., Pawellek, F., Diener, A., Podlaha, O.G., Carden, G.A.F., Jasper, T., Korte, C., Strauss, H., Azmy, K. and Ala, D.** (1997) Oxygen isotope evolution of Phanerozoic sea-water. *Paleogeogr., Paleoclimatol., Paleoecol.*, **132**, 159-172.
- Vitale S. & Iannace A.** (2004) 3D finite strain analysis of the Pollino-Ciagola Unit (Calabria-Basilicata boundary, southern Italy). *Studi Geologici Camerti*, n.s. **2**, 153-167.
- Visscher P.T., Prins R.A. & van Gernerden H.** (1992) Rates of sulfate reduction and thiosulfate consumption in a marine microbial mat. *FEMS Microbiol. Ecol.*, **86**, 283-294.
- Visscher, P.T. & Stolz, J.F.** (2005) Microbial mats as bioreactors: populations, process, and products. *Paleogeogr., Paleoclimatol., Paleoecol.*, **219**, 87-100.
- Webb G.E.** (1996) Was Phanerozoic reef history controlled by the distribution of non-enzymatically secreted reef carbonates (microbial carbonate and biologically induced cement) ? *Sedimentology*, **43**, 947-971
- Wray, J.L.** (1977) Calcareous algae. *Developments in Palaeontology and Stratigraphy*. Elsevier, 185 pp.
- Wright, D.T.** (1999) The role of sulphate-reducing bacteria and cyanobacteria in dolomite formation in distal ephemeral lakes of the Coorong region, South Australia. *Sed. Geol.*, **126**, 147-157.
- Wright, D.T.** (2000) Benthic microbial communities and dolomite formation in marine and lacustrine environments – a new dolomite model. In: *Marine Authigenesis from Global to Microbial* (Eds C.R. Glenn, J. Lucas and L. Prevot), *SEPM Spec. Publ.*, **66**, 7-20.
- Zamparelli V., Cirilli S., Iannace A. & Jadoul F.** (coord.) (1999) Paleotectonic and paleoceanographic controls on microbial-serpulid communities in the Norian-Rhaetian carbonates of Italy: a synthesis. In: *Bioevents and integrate stratigraphy of the Triassic and Jurassic in Italy* (Eds R. Colacicchi, G. Parisi, & V. Zamparelli), *Palaeopelagos, Spec. Publ.*, **3**, 7-84.
- Zappaterra P.A.** (1994) Source-rock distribution model of the Peri-Adriatic Region. *AAPG Bull.*, **78**, 333-354.
- Ziegler P.A.** (1988) Evolution of the Arctic-North Atlantic and the Western Tethys, Tulsa, USA. *Mem. Am. Assoc. Petrol. Geol.*, **43**, 198.